

PUBLIC STREET IMPROVEMENTS

GENERAL NOTES

1. OBTAIN AN ENCROACHMENT PERMIT FROM THE CITY OF CAMPBELL PUBLIC WORKS DEPARTMENT BEFORE PERFORMING ANY WORK WITHIN THE PUBLIC RIGHT-OF-WAY. MAINTAIN A COPY OF THE PERMIT ON THE JOB SITE AT ALL TIMES.
2. ALL WORK SHALL CONFORM TO THE ENCROACHMENT PERMIT, THESE PLANS, AND THE CITY OF CAMPBELL STANDARD SPECIFICATIONS AND DETAILS FOR PUBLIC WORKS CONSTRUCTION, DATED JULY 1994, AND OTHER SPECIFICATIONS REFERENCED THEREIN.
3. THESE PLANS ONLY APPROVE WORK WITHIN THE PUBLIC STREET RIGHT-OF-WAY AND PUBLIC EASEMENTS. SEPARATE PLAN APPROVALS AND PERMITS ARE REQUIRED FOR INSTALLATION OF ANY PUBLIC UTILITY FACILITY.
4. THE CONTRACTOR AGREES THAT HE/SHE SHALL ASSUME SOLE AND COMPLETE RESPONSIBILITY FOR JOB SITE CONDITIONS DURING THE COURSE OF THE WORK, INCLUDING SAFETY OF ALL PERSONS AND PROPERTY; THAT THIS REQUIREMENT SHALL APPLY CONTINUOUSLY AND NOT BE LIMITED TO NORMAL WORKING HOURS; AND THAT THE CONTRACTOR SHALL DEFEND, INDEMNIFY, AND HOLD THE CITY, ITS OFFICERS, EMPLOYEES AND VOLUNTEERS HARMLESS FROM ANY AND ALL LIABILITY, REAL OR ALLEGED, IN CONNECTION WITH PERFORMANCE OF THE WORK, EXCEPTING LIABILITY ARISING FROM THE NEGLIGENCE OF THE CITY, ITS OFFICERS, EMPLOYEES AND VOLUNTEERS.
5. GEOTECHNICAL CONDITIONS ARE IDENTIFIED IN A REPORT ENTITLED " _____," PREPARED BY _____, DATED _____ . THE REPORT IS FOR INFORMATION ONLY.
6. PRIOR TO CONSTRUCTION, SUBMIT TO THE CITY ENGINEER A DETAILED PROGRESS SCHEDULE SHOWING PRIMARY COMPONENTS OF WORK.
7. STATE LAW REQUIRES CONTRACTOR TO CONTACT UNDERGROUND SERVICE ALERT AT 800-227-2600 AT LEAST 48 HOURS PRIOR TO COMMENCING ANY EXCAVATIONS. FAILURE TO COMPLY MAY RESULT IN SUBSTANTIAL PENALTIES.

8. THE EXISTENCE AND LOCATIONS OF UNDERGROUND STRUCTURES SHOWN ON THESE PLANS WERE OBTAINED BY A SEARCH OF AVAILABLE RECORDS. TO THE BEST OF OUR KNOWLEDGE, THERE ARE NO EXISTING FACILITIES EXCEPT AS SHOWN. CONTRACTOR SHALL TAKE PRECAUTIONARY MEASURES TO PROTECT ALL SUBSTRUCTURES, WHETHER SHOWN ON THE PLANS OR NOT, MAKE EXPLORATORY EXCAVATIONS, AND LOCATE EXISTING UNDERGROUND FACILITIES SUFFICIENTLY AHEAD OF CONSTRUCTION TO PERMIT REVISIONS TO THESE PLANS WHEN NECESSARY. THE CITY OF CAMPBELL MAKES NO CLAIMS OF THE ACCURACY OR COMPLETENESS OF THE UTILITIES SHOWN.
9. PREPARE, SUBMIT TO THE CITY ENGINEER FOR APPROVAL, AND IMPLEMENT TRAFFIC CONTROL PLANS AS REQUIRED IN THE STANDARD SPECIFICATIONS. PROVIDE AND MAINTAIN ALL NECESSARY TEMPORARY TRAFFIC CONTROL DEVICES, TO ENSURE SAFE PEDESTRIAN AND VEHICULAR ACCESS THROUGH AND AROUND THE JOB SITE, AND AS DIRECTED BY THE CITY ENGINEER. NOTIFY THE POLICE DEPARTMENT DAILY OF LANE CLOSURES OR DETOURS WITHIN ROADWAYS. PROVIDE A 24-HOUR EMERGENCY RESPONSE TELEPHONE NUMBER TO THE CITY ENGINEER.
10. PROVIDE TEMPORARY EROSION, DUST, AND DRAINAGE CONTROL MEASURES DURING CONSTRUCTION. FOLLOW BEST MANAGEMENT PRACTICES AS RECOMMENDED BY SANTA CLARA COUNTY NON-POINT SOURCE POLLUTION CONTROL PROGRAM. PRIOR TO CONCRETE SAWCUTTING OR WASHING, PLACE FILTER FABRIC MATERIAL IN THE FLOW LINE OF GUTTERS TO RETAIN DEBRIS AND TO PREVENT DEBRIS FROM ENTERING THE STORM DRAIN SYSTEM. PICK UP, SWEEP OR VACUUM, AND DISPOSE OF EXCESS SOIL AND DEBRIS FROM THE SITE. OBTAIN PERMITS AND PAY FEES REQUIRED TO DISPOSE OF EXCESS MATERIALS.
11. TAKE PRECAUTIONARY MEASURES NECESSARY TO PROTECT FROM DAMAGE ALL EXISTING IMPROVEMENTS AND UTILITIES WHICH ARE TO REMAIN IN PLACE. EXPEDITIOUSLY REPAIR IN KIND IMPROVEMENTS AND UTILITIES REMOVED OR DAMAGED BY THE CONTRACTOR'S OPERATIONS.
12. NOTIFY THE CITY ENGINEER IMMEDIATELY OF ANY INCONSISTENCIES BETWEEN THESE PLANS AND ACTUAL FIELD CONDITIONS. NO DEVIATION FROM THESE PLANS IS PERMITTED WITHOUT WRITTEN APPROVAL OF THE CITY ENGINEER.

13. SUBMIT TWO SETS OF CONSTRUCTION STAKING CUT SHEETS TO THE CITY ENGINEER PRIOR TO INSPECTION OF WORK REQUIRING STAKING.
14. INSTALL ALL UNDERGROUND UTILITIES IN PAVED AREAS PRIOR TO STARTING WORK ON NEW STREET STRUCTURAL SECTIONS OR OVERLAYS.
15. REMOVE, PLUG OR RELOCATE EXISTING IRRIGATION LINES WITHIN THE PUBLIC RIGHT-OF-WAY AS DIRECTED BY THE CITY ENGINEER. REMOVE ABANDONED IRRIGATION LINES WITHIN 12 INCHES OF THE GRADING PLANE.
16. GRADE UNIMPROVED AREAS ADJACENT TO NEW CURBS, GUTTERS AND SIDEWALKS TO CONFORM TO NEW IMPROVEMENTS AND TO PROVIDE FOR SAFETY AND DRAINAGE.
17. NEW ELECTROLIERS SHALL BE 240 VOLT. PG&E REQUIRED FEES, PERMITS, INSTALLATIONS AND INSPECTIONS SHALL BE THE RESPONSIBILITY OF THE CONTRACTOR. PROVIDE A COPY OF PG&E RECEIPTS.
18. PROTECT, OR RESTORE BY A LICENSED LAND SURVEYOR OR CIVIL ENGINEER, SURVEY MONUMENTS AND BENCHMARKS DAMAGED OR DESTROYED DURING CONSTRUCTION. FILE CORNER RECORD OR RECORD OF SURVEY AS REQUIRED.
19. SUBMIT AS BUILT PLANS ON MYLARS, SIGNED BY THE ENGINEER OF WORK AND ACCEPTABLE TO THE CITY ENGINEER, PRIOR TO FINAL ACCEPTANCE.

Revised 12/11/95

h:\forms\publicim.nts(mp)